

Nursing/Triage Workflow → Yes to vitals (#1) & screen (#2) BPAs → Huddle BPA

BestPractice Advisory - Optime, Chamberlain Three "TreeFiddy"

Sepsis Alert (1)

SEPSIS HUDDLE REQUIRED

Central capillary refill: (!) **3 seconds**
High risk sepsis criteria: (!) **Central line**
Level of consciousness: (!) **Crying, inconsolable;Drowsy**

1. Notify team attending that sepsis huddle is required.
2. Click "document" to document results.

If you need to document later:

1. Click "I will alert MD now, document after"
2. Document using "peds sep huddle" section in the triage navigator.

Document Do Not Document Flowsheets

Acknowledge Reason

I will alert MD now, document after

BPA #3 Accept

Huddle occurs

Documented in nursing flowsheet

Can document later in emergent cases

→"document after" allows for clinical workflow to continue without a hard stop for documentation

Sepsis huddle results =

clinical assessment from huddle

Nursing/Triage Workflow → Yes to vitals (#1) & screen (#2) BPAs → Huddle BPA

BestPractice Advisory - Optime, Chamberlain Three "TreeFiddy"

Sepsis Alert (1)

SEPSIS HUDDLE REQUIRED

Central capillary refill: (!) **3 seconds**
High risk sepsis criteria: (!) **Central line**
Level of consciousness: (!) **Crying, inconsolable;Drowsy**

1. Notify team attending that sepsis huddle is required.
2. Click "document" to document results.

If you need to document later:

1. Click "I will alert MD now, document after"
2. Document using "peds sep huddle" section in the triage navigator.

Document Do Not Document Flowsheets

Acknowledge Reason
I will alert MD now, document after

BPA #3

BestPractice Advisory - Optime, Chamberlain Three "TreeFiddy"

Sepsis Alert (1)

SEPSIS HUDDLE REQUIRED

Central capillary refill: (!) **3 seconds**
High risk sepsis criteria: (!) **Central line**
Level of consciousness: (!) **Crying, inconsolable;Drowsy**

1. Notify team attending that sepsis huddle is required.
2. Click "document" to document results.

If you need to document later:

1. Click "I will alert MD now, document after"
2. Document using "peds sep huddle" section in the triage navigator.

Document Do Not Document Flowsheets Collapse

Sepsis Huddle Results

Sepsis Huddle Results

Suspect sepsis Sepsis watcher Low suspicion for sepsis

Acknowledge Reason
I will alert MD now, document after

BPA #4

Accept

Huddle occurs

Documented in nursing flowsheet

Can document later in emergent cases

→"document after" allows for clinical workflow to continue without a hard stop for documentation

**Sepsis huddle results =
clinical assessment from huddle**

Suspect Sepsis → triggers Provider BPA for ORDER SET

Provider Workflow → Yes to Huddle → Peds Sepsis ORDER SET BPA

BestPractice Advisory - Optime, Chamberlain Three "TreeFiddy"

Sepsis Alert (1) ⬆

⚠ This patient is HIGH RISK FOR SEPSIS

BP: (!) 60/30
Pulse: (!) 150
Central capillary refill: (!) 3 seconds
High risk sepsis criteria: (!) Central line
Level of consciousness: (!) Crying, inconsolable;Drowsy

This patient meets the above high risk for sepsis criteria along with a fever, hypothermia (at home or in ED) or signs of infection. Use the "EM PEDS SEPSIS WORKUP" Order Set to evaluate and treat.

Open Order Set Do Not Open EM Peds Sepsis Workup (13115) [Preview](#)

Acknowledge Reason _____

BPA #5 ✓ Accept

Note

If provider does not open the order set, the "acknowledge reason" needs to be answered to stop BPA from firing each time providers enters chart

Sepsis Huddle Results documented from nursing workflow

"Suspect Sepsis" = Triggers PROVIDER BPA → Open EM peds sepsis order set