Provider Workflow → Yes to Huddle → **Peds Sepsis ORDER SET BPA**

BestPractice Advisory - Optime, Chamberlain Three "TreeFiddy"				
Sepsis Alert (1)		*		
This patient is HIGH RISK F	FOR SEPSIS			
This patient meets the above		nome or in ED) or signs		
Open Order Set Do	o Not Open EM Peds Sepsis Workup (13115) Preview			
Acknowledge Reason				
Order set not needed based of	on my clinica I will use if needed after I see the pt			
BPA #5		✓ <u>A</u> ccept		

Note

If provider does not open the order set, the "acknowledge reason" needs to be answered to stop BPA from firing each time providers enters chart

Geisinger 🧼


Children's Hosnita

Sepsis Huddle Results documented from nursing workflow "Suspect Sepsis" = <u>Triggers</u> PROVIDER BPA → Open EM peds sepsis order set

Includes

Nursing Orders Lab Orders Imaging Medications Fluid Management Antibiotic Orders

Pediatric Sepsis EM Order Set



✓ Establish consistent care for children across campuses and providers
 ✓ Create objective metrics, data collection and care evaluations

✓ Optimize safe care for children in the ED setting



Provider Workflow → **Peds Sepsis ORDER SET**




- ✓ Using the order set, certain orders get prioritized
 - Pharmacy \rightarrow antibiotics Lab/Phlebotomy \rightarrow blood collection

\checkmark Decision support within the order set

Order Sets	⑦ Manage Orders Order Sets Options ▼	
 ✓ Sepsis Alert ✓ Sepsis Alert ✓ Sepsis Alert ONCE, today at 1050, For 1 occurrence • Routine 	Image: Second	
✓ Nursing ✓ Nursing Orders ○ Nursing (Age 60 days to 18 years) ✓ Laboratory	Standard Standard Stand	
	 Antibiotic Orders Antibiotics (Age 60 days to 18 years) 	Order Set Antibiotics Decision Support
 Labbi (Age 60 days to less than 18 years) Imaging Imaging IXR Chest 1 View (\$) ONCE, Starting 3/2/21, STAT XR Chest 2 Views (\$) ONCE, Starting 3/2/21, STAT 	Healthy, No Central Line Immunocompromised and/or Central Line Present Oncology patient, well appearing	Choose a category to cascade open preferred antibiotics with dosing
✓ Medications ✓ Analgesics ☐ Analgesics ♥ Fluid Management ♥ Fluid management for sepsis ♥ Fluid management for sepsis ♥ Antibiotic Orders	 Oncology patient, severe sepsis suspected Intraabdominal source suspected 	
Antibiotic Orders Antibiotics (Age 60 days to 18 years) Antibiotics Have Already Been Ordered ONCE, Starting 3/2/21 for 1 occurrence, STAT	× Remove All ☆ Save Work ♀ Sign & Hold ✔ Sign Orders	

Provider Workflow → Peds Sepsis ORDER SET



✓ When orders are signed in the order set, an automatic notification is sent to the ED charge nurse and to the PEM medical director in real time (via priority text page)

Geisinger 🧭

Children's Hospita

•••				
	\$			

Order Sets	٢	Manage Orders Order Sets	Options -
✓ Sepsis Alert	~	Manage Orders Orger sets	opuons -
▼ Sepsis Alert		Ox Association A Providers	
Sepsis Alert		Place new orders or order sets	+ New
ONCE, today at 1050, For 1 occurrence • Routine			
▼ Nursing		Standard	✓ I Next
▼ 9Nursing Orders			
Nursing (Age 60 days to 18 years)		B EM Peds Sepsis Workup (13115)	
- Laboratory		Sepsis Alert	
Caboratory Gene Labs (Age 60 days to 18 years)		ONCE, For 1 occurrence, today • Routine	
Blood Gas with Lactate, Point of Care (I)			
ONCE, Starting 3/2/21, STAT			
Glucose Meter. Point of Care			
ONCE, Starting 3/2/21, STAT			
Pregnancy Labs			
QLaboratory Orders			
O Labs (Age 60 days to less than 18 years)	_		
▼ Imaging		The second se	
▼ Imaging			
XR Chest 1 View (\$)			
ONCE, Starting 3/2/21, STAT			
XR Chest 2 Views (\$)			
ONCE, Starting 3/2/21, STAT			
✓ Medications			
✓ Analgesics			
Analgesics			
▼ Fluid Management			
Fluid management for sepsis			
Fluid management for septic shock			
← ❸Antibiotic Orders			
Antibiotics (Age 60 days to 18 years)			
Antibiotics Have Already Been Ordered		🗙 Remove All 🤄 Saye Work 😳 Sign & E	iold V Sign Orders
ONCE, Starting 3/2/21 for 1 occurrence, STAT	~	A Bennote San - 2 sale work C sign of E	Sign Orders

Trigger for audit/feedback = when order set is opened and signed