

SEPSIS SCREENING TOOL

1 of the following Triggers:	
Hypothermic (< 96.8F) *Immediate sepsis huddle	
Hyperthermic (>100.4)	
Elevated WBC (if known)	
Bandemia (if known)	
AND	
3 of the Following Triggers	
High Risk Diagnosis (see examples)	
Tachycardia	
Poor Perfusion (see examples)	
Tachypnea or Grunting	
Sepsis Huddle Request Time:	
RN Name:	
MD Name:	
Notes:	
Antibiotic start time:	

Examples of Poor Perfusion
Capillary Refill > 3 seconds
Skin temperature: Cool or Cold
Change in Mental Status
Lethargic
Confused
Agitated
Irritable
Inconsolable
Hypotension
Examples of High Risk
Sickle Cell
Oncology
Implanted port or device
Medically complex
Neonate < 28 days (>100.4 *Immediate Sepsis)
Transplant
Asplenic
Short Gut
Immunosuppressed

<input type="checkbox"/> Negative Screen <input type="checkbox"/> Fast Pass <input type="checkbox"/> Positive Sepsis not picked up by Sepsis Screening Tool	Patient Sticker
---	------------------------

SEPSIS SCREENING TOOL

1 of the following Triggers:	
Hypothermic (< 96.8F) *Immediate sepsis huddle	
Hyperthermic (>100.4)	
Elevated WBC (if known)	
Bandemia (if known)	
AND	
3 of the Following Triggers	
High Risk Diagnosis (see examples)	
Tachycardia	
Poor Perfusion (see examples)	
Tachypnea or Grunting	
Sepsis Huddle Request Time:	
RN Name:	
MD Name:	
Notes:	
Antibiotic start time:	

Examples of Poor Perfusion
Capillary Refill > 3 seconds
Skin temperature: Cool or Cold
Change in Mental Status
Lethargic
Confused
Agitated
Irritable
Inconsolable
Hypotension
Examples of High Risk
Sickle Cell
Oncology
Implanted port or device
Medically complex
Neonate < 28 days (>100.4 *Immediate Sepsis)
Transplant
Asplenic
Short Gut
Immunosuppressed

<input type="checkbox"/> Negative Screen <input type="checkbox"/> Fast Pass <input type="checkbox"/> Positive Sepsis not picked up by Sepsis Screening Tool	Patient Sticker
---	------------------------