Technology

- Vitals incorporated into trackboard view
 - Quick and easily visible abnormalities
- Smartphrase for huddle documentation
 - > ".pedsepsispossible"
- Order set into an EPIC ED quick list
 - > Trackboard color change

Age/Sex	Complaint	BP	Pulse	Resp	Temp	PEWS Score	ED Early Detection
8 m	Respiratory Distress	(!) 121/76	143	35	(!) 34.3 (93.7)	1	4
2 y.o	Vascular Access	(!) 125/89	_	26	36.6 (97.9)		2

Huddle Documentation

Huddle time: 20:00 pm 12/15/21

After reviewing the vital signs that are notable for fever, tachycardia and persistent hypotension despite fluid boluses, performing a clinical exam, and reviewing the past medical history of this patient, I have considered the signs/ symptoms of sepsis as within the differential diagnosis of this patient's presentation.

At this time, I feel that sepsis is possible or likely. Therefore, IVF have been ordered for (hypovolemia, dehydration, hypotension) as well as IV antibiotics (Ceftriaxone).

 has met criteria for a sepsis evaluation at this time based on the following criteria:

Trigger vitals

•Temp: 39.8C, HR 157, BP 124/61, RR 28, O2 94%

CRITERIA MET:

- abnormal temperature AND abnormal HR
- suspected or documented infection Pneumonia
- high risk group: none
- signs of poor perfusion: none
- abnormalRR 13 18 y: >= 18

• SEPSIS HUDDLE PARTICIPANTS:

Time of Huddle: 1930

- ASSESSMENT & PLAN:
- RESULTS OF HUDDLE: Sepsis Watcher
- PLAN:



Communication Clipboards

Ensure timely huddles and face-to-face discussions



Pediatric IPSO Checklist

Patient Initials	
Huddle time	

	IPSO Goal Time (60min for bolus/ 180min for abx)	Actual Time
Bolus		
Antibiotics		

